Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Previously Presented) An apparatus comprising:

a prefetch engine to prefetch data from a distributed, coherent memory in response to a first transaction from an input/output bus directed to the distributed, coherent memory; and

an input/output coherent cache buffer to receive the prefetched data, the coherent cache buffer being coherent with the distributed, coherent memory and with other cache memories in a system including the input/output coherent cache buffer,

the prefetch engine further to speculatively prefetch data in anticipation of a need for the speculatively prefetched data in association with a second input/output transaction if data has been prefetched for pending, memory-related transactions from the input/output bus.

2. (Original) The apparatus of claim 1 wherein the prefetch operation performed by the prefetch engine is a non-binding prefetch operation such that the prefetched data received by the coherent cache buffer may be altered by a memory in the distributed coherent memory.

- 3. (Original) The apparatus of claim 2 wherein the first transaction request is a memory read request and the prefetch engine issues a read request to prefetch data to be read from the distributed, coherent memory in response to the first transaction request.
- 4. (Original) The apparatus of claim 2 wherein the first transaction request is a memory write request and the prefetch engine issues a request to prefetch ownership of a memory line in the distributed, coherent memory, the memory line being indicated by the first transaction request.
- 5. (Original) The apparatus of claim 1 further comprising: an input/output transaction request buffer to temporarily store transaction requests received from the input/output bus directed to the distributed, coherent memory.
- (Original) The apparatus of claim 5 wherein
 the prefetch engine prefetches data in response to transaction requests

 stored in the input/output transaction request buffer.
- 7. (Original) The apparatus of claim 6 wherein the prefetch engine prefetches data in response to transaction requests stored in the input/output transaction request buffer regardless of the order in which the transaction requests were received from the input/output bus.

- 8. (Original) The apparatus of claim 5 further comprising:

 a retire engine to retire input/output transaction requests stored in the
 transaction request buffer in program order after the transaction requests have
 been completed.
- 9. (Original) The apparatus of claim 8 wherein the retire engine is further to check the input/output coherent cache buffer to determine whether data associated with an input/output transaction request to be retired is present in the input/output coherent cache buffer in a valid state.
- 10. (Original) The apparatus of claim 1 wherein coherency is maintained between the input/output coherent cache buffer and the distributed, coherent memory using a MESI protocol.
- 11. (Previously Presented) A method comprising:

 prefetching data in response to a first input/output transaction request received from an input/output bus and directed to a distributed, coherent memory;

if data has been prefetched for pending memory-related input/output transactions, speculatively prefetching data in anticipation of a need for the speculatively prefetched data in association with a second input/output transaction;

temporarily storing the prefetched data; and

maintaining coherency between the prefetched data and data stored in the distributed, coherent memory and data stored in other cache memories.

- 12. (Original) The method of claim 11 further comprising: buffering input/output transaction requests received from the input/output bus that are directed to the distributed, coherent memory.
- 13. (Previously Presented) The method of claim 12 further comprising:

prefetching data in response to third and fourth buffered input/output transactions wherein

prefetching data in response to the first, third and fourth buffered input/output transactions may be performed in any order.

- 14. (Original) The method of claim 12 further comprising: retiring the buffered input/output transactions in the order in which they were issued by the input/output bus.
- 15. (Original) The method of claim 14 wherein retiring includes checking the temporarily stored, prefetched data to determine whether valid data corresponding to the transaction request to be retired is temporarily stored.

- 16. (Original) The method of claim 11 wherein maintaining coherency includes maintaining coherency using a MESI protocol.
- 17. (Original) The method of claim 11 wherein prefetching includes issuing a request for the data in response to the first transaction request; and receiving the requested data.
- 18. (Previously Presented) The method of claim 17 wherein prefetching data in response to a third input/output transaction request received from the input/output bus and directed to the distributed, coherent memory occurs between issuing the request and receiving the requested data.
- 19. (Previously Presented) A computer system comprising: first and second processing nodes each including at least one processor and at least one caching agent;

a distributed coherent memory wherein portions of the distributed coherent memory are included within each of the first and second processing nodes; and an input/output node coupled to the first and second processing nodes, the input/output node comprising

a prefetch engine to prefetch data from the distributed, coherent memory in response to a first transaction from a first input/output bus

directed to the distributed, coherent memory and to speculatively prefetch data after data has been prefetched for pending memory-related transactions from the input/output bus in anticipation of a need for the speculatively prefetched data in association with a second input/output transaction; and

an input/output coherent cache buffer to receive the prefetched data, the coherent cache buffer being coherent with the distributed, coherent memory and the caching agents.

- 20. (Original) The computer system of claim 19 further comprising: a coherent system interconnect to couple each of the first and second processing nodes to the input/output node, the coherent system interconnect to communicate information to maintain coherency of the distributed, coherent memory and to maintain coherency between the input/output coherent cache buffer and the distributed, coherent memory.
- 21. (Original) The computer system of claim 20 wherein coherency is maintained in accordance with a MESI protocol.
- 22. (Original) The computer system of claim 19 further comprising an interconnection network to communicate information between the first and second processing nodes and the input/output node.

- 23. (Original) The computer system of claim 19 further comprising an input/output bridge coupled between the first and second processing nodes and a plurality of input/output buses, the plurality of input/output buses including the first input/output bus, the input/output bridge including the prefetch engine and the input/output coherent cache buffer.
- 24. (Previously Presented) The computer system of claim 23 wherein the input/output bridge further comprises:

at least one input/output transaction request buffer to temporarily store input/output transaction requests received from the plurality of input/output buses that are directed to the distributed, coherent memory.

- 25. (Original) The computer system of claim 24 wherein the prefetch engine prefetches data in response to transaction requests stored in the input/output transaction request buffer regardless of the order in which the transaction requests are stored.
- 26. (Previously Presented) The computer system of claim 24 wherein the input/output bridge further comprises

a retire engine further to check the input/output coherent cache buffer for valid data corresponding to a transaction request to be retired,

the retire engine to retire transaction requests stored in the input/output transaction request buffer in program order.